

# Trans Technical Solutions

Tel: +27 11 974 9679  
Fax: +27 11 974 9653  
Email: sales@ttsafrica.com

P O Box 5094  
Delmenville  
1403

Unit F11, Roete 24  
Meadowdale  
Germiston



## Screwed and Socketed Rigid Conduit Screws, Nipples and Covers

### SCREWS

Pan head screws are screws with heads that are flat on top and rounded on the sides.

#### Zinc Plated M4 Pan Head Screws

Part Number	Size	Material	Packaging
T/RB64/20	20mm	Steel	100
T/RB64/25	25mm	Steel	100
T/RB64/32	32mm	Steel	100



### NIPPLES

Rigid conduit nipple can be used to extend a length of threaded rigid conduit or connect 2 steel outlet boxes or other metal enclosures. It can be used both for indoor and outdoor purposes. It is corrosion resistant. Connects 2 metal enclosures such as steel outlet boxes or can extend a length of rigid conduit.

#### Standard Nipple (Galvanised)

Part Number	Size	Material	Packaging
T/RB107/20	20mm	Steel	100
T/RB107/25	25mm	Steel	100
T/RB107/32	32mm	Steel	50



# Trans Technical Solutions

Tel: +27 11 974 9679  
Fax: +27 11 974 9653  
Email: sales@ttsafrica.com

P O Box 5094  
Delmenville  
1403

Unit F11, Roete 24  
Meadowdale  
Germiston



## Screwed and Socketed Rigid Conduit Screws, Nipples and Covers

### 300mm Long Nipple (Galvanised)

Part Number	Size	Material	Packaging
T/RB109/20	20mm	Steel	10
T/RB109/25	25mm	Steel	10
T/RB109/32	32mm	Steel	10



### Galvanised Nipple

Part Number	Size	Material	Packaging
T/184020	20mm	Steel	150
T/184025	25mm	Steel	100
T/184032	32mm	Steel	50



### Galvanised Long Nipple

Part Number	Size	Material	Packaging
T/185320	20mm	Steel	100
T/185325	25mm	Steel	100
T/185332	32mm	Steel	50



# Trans Technical Solutions

Tel: +27 11 974 9679  
Fax: +27 11 974 9653  
Email: sales@ttsafrica.com

P O Box 5094  
Delmenville  
1403

Unit F11, Roete 24  
Meadowdale  
Germiston



## Screwed and Socketed Rigid Conduit Screws, Nipples and Covers

### ELECTRICAL CONDUIT DOME COVER

This spouted dome cover fits onto a standard 20/25mm thread gauge conduit box. It has a female threaded M20 threaded spout which will accommodate a male M20 conduit thread in the form of a male threaded nipple or male threaded conduit tube end.

#### Galvanised Earthed Cover Ball and Socket

Part Number	Size	Material	Packaging
T/RB286/20	20mm	Malleable Iron	25
T/RB286/25	25mm	Malleable Iron	25



#### Galvanised Female Dome Cover (GLF)

Part Number	Size	Material	Packaging
T/RB288/20	20mm	Malleable Iron	25
T/RB288/25	25mm	Malleable Iron	25



#### Galvanised Female Dome Cover (GLFC)

Part Number	Size	Material	Packaging
T/RB289/20	20mm	Malleable Iron	25
T/RB289/25	25mm	Malleable Iron	25

