



THE ESSENTIAL ENTRELEC

SNK series terminal blocks
DBL power distribution blocks

ENTRELEC Terminal Blocks


The essential ENTRELEC

SNK series terminal blocks - DBL power distribution blocks

SNK SERIES TERMINAL BLOCKS

The innovative range available in PI-Spring (Push-In and Spring), screw clamp and pluggable technologies with common accessories. Qualified for worldwide applications and severe environments such as hazardous locations, railways, marine and solar applications...


Three technologies



Screw clamp
PAGES 8-9



PI-Spring
PAGES 4-5



Pluggable
PAGES 12-13

Applications



Industry



Commercial



Solar





Railways

DBL POWER DISTRIBUTION BLOCKS

The exclusive compact and modular design of our power distribution blocks allows easy installation combined with a great flexibility of use.

Screw clamp technology



Screw clamp
PAGES 18-19



Hazardous locations



Marine



Waste and Water

SNK series, terminal blocks

PI-Spring technology - Range overview from 2.5 to 16 mm² - 12 to 4 AWG

2 Connections

Single deck

Feed-through
Ground
Disconnect
Fuse
Solar : 1500 VDC


NEW

3 Connections

Single deck

Feed-through
Ground
Solar: 1500 VDC

NEW




Voltage test

screwdriver entry
point accepts
Category II probes

Double central channels

allows multiconfigurations
(jumping, testing and measuring)

4



Connections

Single deck

Feed-through
Ground
Disconnect
Component holder

2x2



Connections

Double deck

Feed-through
Ground
Component holder

3x2



Connections

Triple deck


Feed-through
Ground



Two circuit separators
for the entire range

End section
can be used
as circuit separator

Rotating label holder
easy plug-in in
jumper channel



SNK SERIES

PI-Spring technology

Connection capacity: from 0.22 to 16 mm² - 14 to 4 AWG

ENTRELEC Terminal Blocks

The patented PI-Spring technology provides the benefits of both Push-In and Spring technologies in one connection.

Qualified for worldwide markets, applications and for severe environments (including hazardous locations, railway, marine and solar applications etc.).



Speed up your projects

Smart connections, higher productivity

Up to 90% mounting time reduction with our PI-Spring, screw clamp and pluggable technologies.

Simplified selection and design

Intuitive codification, simplified catalogs, large technical data base.

Better project identification

20% larger marking area.

Pre-mark by hand or label before final marker installation.



Easy to install

Secured installation

Asymmetrical design avoid mounting and wiring errors.

Zero-retightening with our technologies.

Faster accessories mounting

Benefit from screwless ground connection, jumpers, end stops.

Smart design facilitating assembly process

Mounting, wiring, testing... made easy.



Optimized logistics

50% less accessories needed

End sections, circuit separators fit several blocks.

Common accessories

PI-Spring, screw and pluggable ranges share the same accessories.

Simplified inventory management

Significant reduction of part numbers to manage.



SNK series, terminal blocks

PI-Spring technology

Terminal blocks

Terminal blocks								End sections	Jumper bars								
	Cross section mm ² / AWG	Spacing mm / in	Current IEC / UL	Function	Colour	Type	Part number	Part number	No. poles	Part number							
2 connections		2.5 / -	24 A		Grey	ZK2.5	1SNK705010R0000		2	1SNK905302R0000							
		2.5 / 14	20 A		Blue	ZK2.5-BL	1SNK705020R0000			3	1SNK905303R0000						
		4 / 12	300 A/1s 396 A/1s		Green-yellow	ZK2.5-PE	1SNK705150R0000			5	1SNK905305R0000						
		4 / -	32 A		Grey	ZK4	1SNK706010R0000				2	1SNK906302R0000					
		4 / 12	30 A		Blue	ZK4-BL	1SNK706020R0000					3	1SNK906303R0000				
		6 / 10	480 A/1s 636 A/1s		Green-yellow	ZK4-PE	1SNK706150R0000					5	1SNK906305R0000				
		6 / -	41 A		Grey	ZK6	1SNK708010R0000						2	1SNK908302R0000			
		6 / 10	50 A		Blue	ZK6-BL	1SNK708020R0000							3	1SNK908303R0000		
		10 / 8	720 A/1s 1008 A/1s		Green-yellow	ZK6-PE	1SNK708150R0000							5	1SNK908305R0000		
		10 / -	57 A		Grey	ZK10	1SNK710010R0000								2	1SNK910302R0000	
		10 / 8	65 A		Blue	ZK10-BL	1SNK710020R0000									3	1SNK910303R0000
		16 / 6	1200 A/1s 1596 A/1s		Green-yellow	ZK10-PE	1SNK710150R0000									5	1SNK910305R0000
	16 / -	76 A		Grey	ZK16	1SNK712010R0000		2	1SNK912302R0000								
	16 / 6	85 A		Blue	ZK16-BL	1SNK712020R0000			3							1SNK912303R0000	
	25 / 4	1960 A/1s 2544 A/1s		Green-yellow	ZK16-PE	1SNK712150R0000			5							1SNK912305R0000	
3 connections		2.5 / -	24 A		Grey	ZK2.5-3P			1SNK705011R0000		2					1SNK905302R0000	
		2.5 / 14	20 A		Blue	ZK2.5-3P-BL			1SNK705021R0000							3	1SNK905303R0000
		4 / 12	300 A/1s 396 A/1s		Green-yellow	ZK2.5-PE-3P			1SNK705151R0000							5	1SNK905305R0000
		4 / -	32 A		Grey	ZK4-3P			1SNK706011R0000				2			1SNK906302R0000	
		4 / 12	30 A		Blue	ZK4-3P-BL			1SNK706021R0000							3	1SNK906303R0000
		6 / 10	480 A/1s 636 A/1s		Green-yellow	ZK4-PE-3P			1SNK706151R0000							5	1SNK906305R0000
		6 / -	41 A		Grey	ZK6-3P			1SNK708011R0000						2	1SNK908302R0000	
		6 / 10	50 A		Blue	ZK6-3P-BL			1SNK708021R0000							3	1SNK908303R0000
	10 / 8	720 A/1s 1008 A/1s		Green-yellow	ZK6-PE-3P	1SNK708151R0000			5	1SNK908305R0000							
4 connections		2.5 / -	24 A		Grey	ZK2.5-4P	1SNK705012R0000		2	1SNK905302R0000							
		2.5 / 14	20 A		Blue	ZK2.5-4P-BL	1SNK705022R0000			3	1SNK905303R0000						
		4 / 12	300 A/1s 396 A/1s		Green-yellow	ZK2.5-PE-4P	1SNK705152R0000			5	1SNK905305R0000						
		4 / -	32 A		Grey	ZK4-4P	1SNK706012R0000				2	1SNK906302R0000					
		4 / 12	30 A		Blue	ZK4-4P-BL	1SNK706022R0000					3	1SNK906303R0000				
		6 / 10	480 A/1s 636 A/1s		Green-yellow	ZK4-PE-4P	1SNK706152R0000					5	1SNK906305R0000				
Double deck		2.5 / -	24 A		Grey	ZK2.5-D2	1SNK705210R0000		2			1SNK905302R0000					
		2.5 / 14	20 A		Blue	ZK2.5-D2-BL	1SNK705220R0000					3	1SNK905303R0000				
		4 / 12	20 A		Grey	ZK2.5-D1	1SNK705211R0000					5	1SNK905305R0000				
Triple deck		2.5 / -	22 A		Grey	ZK2.5-T3	1SNK705510R0000		2	1SNK905302R0000							
		2.5 / 14	20 A		Grey	ZK2.5-T1	1SNK705511R0000			3	1SNK905303R0000						
		4 / 12	20 A		Green-yellow	ZK2.5-L-L-PE	1SNK705512R0000			5	1SNK905305R0000						
		2.5 / -	22 A		Blue	ZK2.5-L-N-PE	1SNK705513R0000				10	1SNK905310R0000					
		2.5 / 14	20 A		Green-yellow	ZK2.5-T1-PE	1SNK705550R0000					5	1SNK905310R0000				
		4 / 12	20 A		Green-yellow	ZK2.5-T1-PE	1SNK705550R0000					10	1SNK905310R0000				
Disconnect		2.5 / -	20 A		Grey	ZK2.5-S	1SNK705310R0000		2			1SNK905302R0000					
		2.5 / 14	20 A		Grey	ZK2.5-S	1SNK705310R0000					3	1SNK905303R0000				
		4 / 12	20 A		Grey	ZK2.5-S	1SNK705310R0000					5	1SNK905305R0000				
Fuse		2.5 / -	6.3 A		Grey, dark grey	ZK2.5-SF	1SNK706410R0000		2	1SNK906302R0000							
		2.5 / 14	16 A		Grey, dark grey	ZK2.5-SF	1SNK706410R0000			3	1SNK906303R0000						
		4 / 12	16 A		Grey, dark grey	ZK2.5-SF-R1	1SNK706411R0000			5	1SNK906305R0000						
End stops		5.2 / 0.205	Screwless, for single deck			BAZ1	1SNK900002R0000										
		10 / 0.394	Screw for single deck			BAM4	1SNK900001R0000										
Pre-printed marking cards		10 / 0.394	Screw for double deck/power blocks			BAZH1	1SNK900102R0000										
		4.8 / 0.189	Horizontal	1->10 (x10)				1SNK140011R0000									
			Vertical	1->10 (x10)			MC512PA	1SNK145011R0000									
		5.6 / 0.220	Horizontal	1->10 (x10)				1SNK140012R0000									
			Vertical	1->10 (x10)			MC612PA	1SNK145012R0000									
				Horizontal	1->10 (x10)			1SNK150011R0000									
			Vertical	1->10 (x10)			1SNK155011R0000										

- Flexible without ferrule
- Flexible with insulated ferrule
- Rigid Solid

SNK series, terminal blocks

Screw clamp technology - Range overview from 4 to 240 mm² - 10 to 500 Kcmil



2 Connections

Single deck

Feed-through
Ground
Disconnect
Fuse



3 Connections

Single deck


Feed-through
Ground



4 Connections

Single deck

Feed-through
Ground
Disconnect



Double central channels
allows multiconfigurations
(jumping, testing and
measuring)

Circuit separator
without spacing loss

2x2  Connections


- Double deck**
- Feed-through
- Ground
- Disconnect
- Fuse
- Component holder

2  Connections


- Test and measurement**
- Feed-through
- Ground
- Disconnect

3x2  Connections

- Triple deck**
- Feed-through



Plug
component holder



SNK SERIES

Screw clamp technology

Connection capacity: from 0.22 to 240 mm² - 14 to 500 Kcmil

ENTRELEC Terminal Blocks

The SNK series screw clamp terminal blocks offer rationalized functions and accessories while serving a large scope of applications. Qualified for worldwide markets, applications and for severe environments (including hazardous locations, marine and solar applications etc.).



Speed up your projects

Smart connections, higher productivity

Up to 90% mounting time reduction with our PI-Spring, screw clamp and pluggable technologies.

Simplified selection and design

Intuitive codification, simplified catalogs, large technical data base.

Better project identification

20% larger marking area.

Pre-mark by hand or label before final marker installation.



Easy to install

Secured installation

Asymmetrical design avoid mounting and wiring errors.

Zero-retightening with our technologies.

Faster accessories mounting

Benefit from screwless ground connection, jumpers, end stops.

Smart design facilitating assembly process

Mounting, wiring, testing... made easy.



Optimized logistics

50% less accessories needed

End sections, circuit separators fit several blocks.

Common accessories

PI-Spring, screw and pluggable ranges share the same accessories.

Simplified inventory management

Significant reduction of part numbers to manage.



SNK series, terminal blocks

Screw clamp technology

Terminal blocks

Terminal blocks								End sections		Jumper bars						
	Cross section mm ² / AWG	Spacing mm / in	Current IEC / UL	Function	Colour	Type	Part number	Part number	No. poles	Part number						
Single deck	4 / -	5.2 / 0.205	32 A		Grey	ZS4	1SNK505010R0000		2	1SNK905302R0000						
	2.5 / 14		20 A		Blue	ZS4-BL	1SNK505020R0000		3	1SNK905303R0000						
	4 / 12		480 A / 1s		Green/yellow	ZS4-PE	1SNK505150R0000		5	1SNK905305R0000						
	6 / -	6 / 0.236	30 A		Grey	ZS6	1SNK506010R0000		2	1SNK906302R0000						
	4 / 12		720 A / 1s		Blue	ZS6-BL	1SNK506020R0000		3	1SNK906303R0000						
	6 / 10		636 A / 1s		Green/yellow	ZS6-PE	1SNK506150R0000		5	1SNK906305R0000						
	10 / -	8 / 0.315	57 A		Grey	ZS10	1SNK508010R0000			2	1SNK908302R0000					
	6 / 10		42 A		Blue	ZS10-BL	1SNK508020R0000			3	1SNK908303R0000					
	10 / 8		1200 A / 1s		Green/yellow	ZS10-PE	1SNK508150R0000			5	1SNK908305R0000					
	16 / -	10 / 0.394	76 A		Grey	ZS16	1SNK510010R0000				2	1SNK910302R0000				
	10 / 8		67 A		Blue	ZS16-BL	1SNK510020R0000				3	1SNK910303R0000				
	16 / 6		1920 A / 1s		Green/yellow	ZS16-PE	1SNK510150R0000				5	1SNK910305R0000				
	25 / -	12 / 0.472	101 A		Grey	ZS25	1SNK512010R0000					2	1SNK912302R0000			
	16 / 6		100 A		Blue	ZS25-BL	1SNK512020R0000					3	1SNK912303R0000			
	25 / 4		1920 A / 1s		Green/yellow	ZS25-PE	1SNK512150R0000					5	1SNK912305R0000			
	35 / -	16 / 0.630	125 A		Grey	ZS35	1SNK516010R0000						2	1SNK916302R0000		
	35 / 0		150 A		Blue	ZS35-BL	1SNK516020R0000						3	1SNK916303R0000		
	35 / 0		4200 A / 1s		Green/yellow	ZS35-PE	1SNK516150R0000						5	1SNK916305R0000		
	50 / -	16 / 0.630	150 A		Grey	ZS50	1SNK516011R0000							2	1SNK916302R0000	
	50 / 0		150 A		Blue	ZS50-BL	1SNK516021R0000							3	1SNK916303R0000	
50 / 0	6000 A / 1s		Green/yellow		ZS50-PE	1SNK516151R0000	5	1SNK916305R0000								
70 / -	22 / 0.866	192 A		Grey	ZS70	1SNK522010R0000		2						1SNK922302R0000		
50 / -		159 A		Blue	ZS70-BL	1SNK522020R0000		3						1SNK922303R0000		
95 / 00		8400 A / 1s		Green/yellow	ZS70-PE	1SNK522150R0000		5						1SNK922305R0000		
95 / -	26 / 1.024	232 A		Grey	ZS95	1SNK526010R0000								2	1SNK926302R0000	
50 / -		230 A		Blue	ZS95-BL	1SNK526020R0000								3	1SNK926303R0000	
120 / 0000		11400 A / 1s		Green/yellow	ZS95-PE	1SNK526150R0000			5					1SNK926305R0000		
Double deck	4 / -	5.2 / 0.205	29 A		Grey	ZS4-D2			1SNK505210R0000						2	1SNK905302R0000
	2.5 / 14		20 A		Blue	ZS4-D2-BL			1SNK505220R0000						3	1SNK905303R0000
	4 / 12		480 A / 1s		Green/yellow	ZS4-D2-PE			1SNK505350R0000	5					1SNK905305R0000	
	6 / -	6 / 0.236	40 A		Grey	ZS6-D2			1SNK506210R0000	2					1SNK906302R0000	
	4 / 12		30 A		Blue	ZS6-D2-BL			1SNK506220R0000	3					1SNK906303R0000	
6 / 10	636 A / 1s	Green/yellow	ZS6-D2-PE	1SNK506350R0000	5	1SNK906305R0000										
Triple deck	4 / -	5.2 / 0.205	32 A		Grey	ZS4-T3			1SNK505212R0000		2			1SNK905302R0000		
	2.5 / 14		20 A		Blue	ZS4-T3-BL			1SNK505222R0000		3			1SNK905303R0000		
	4 / 12		480 A / 1s		Green/yellow	ZS4-T3-PE			1SNK505352R0000		5	1SNK905305R0000				
	4 / -	6 / 0.236	32 A		Grey	ZS4-T3-R1			1SNK506213R0000		2	1SNK906302R0000				
	4 / 12		30 A		Blue	ZS4-T3-R1-BL			1SNK506223R0000		3	1SNK906303R0000				
4	636 A / 1s	Green/yellow	ZS4-T3-R1-PE	1SNK506353R0000	5	1SNK906305R0000										
Disconnect	4 / -	5.2 / 0.205	25 A		Grey	ZS4-S			1SNK505310R0000		2	1SNK905302R0000				
	2.5 / 14				Blue	ZS4-S-BL			1SNK505311R0000							
	4 / 12				Green/yellow	ZS4-S-PE	1SNK505312R0000									
	4 / -	6 / 0.236	30 A		Grey	ZS6-S	1SNK506315R0000				2	1SNK906302R0000				
	2.5 / 14				Blue	ZS6-S-BL	1SNK506316R0000									
	4 / 12				Green/yellow	ZS6-S-PE	1SNK506317R0000									
	6 / -	8 / 0.315	42 A		Grey	ZS10-S	1SNK508315R0000				2	1SNK908302R0000				
	4 / 12				Blue	ZS10-S-BL	1SNK508316R0000									
6 / 10	Green/yellow				ZS10-S-PE	1SNK508317R0000										
10 / -	8 / 0.315	25 A		Grey	ZS10-S	1SNK508315R0000				3	1SNK908303R0000					
6 / 10				Blue	ZS10-S-BL	1SNK508316R0000										
10 / 8				Green/yellow	ZS10-S-PE	1SNK508317R0000										
Fuse	4 / -	8 / 0.315	6.3 A		Grey, dark grey	ZS4-SF1			1SNK508410R0000		2	1SNK908410R0000				
	4 / 12				10 A	Grey, dark grey			ZS4-SF1-T2				1SNK508411R0000			
	4 / 12				10 A	Grey, dark grey		ZS4-SF1-T2	1SNK508960R0000							
End stops	5.2 / 0.205	Screwless, for single deck	BAZ1	1SNK900002R0000		2		1SNK900002R0000								
	10 / 0.394	Screw for single deck	BAM4	1SNK900001R0000												
	10 / 0.394	Screw for double deck/power blocks	BAZH1	1SNK900102R0000												
Pre-printed marking cards	4.8 / 0.189	Horizontal	1->10 (x10)		MC512PA	1SNK140011R0000		2	1SNK905302R0000							
			1->100			1SNK145011R0000										
			1->100			1SNK145012R0000										
	5.6 / 0.220	Horizontal	1->10 (x10)	MC612PA	1SNK150011R0000											
			1->100		1SNK155011R0000											
			1->100		1SNK150012R0000											
5.6 / 0.220	Vertical	1->10 (x10)	MC612PA	1SNK155012R0000												
		1->100		1SNK155011R0000												
		1->100		1SNK155012R0000												

- Flexible without ferrule
- Flexible with insulated ferrule
- Rigid Solid

SNK series, terminal blocks

Pluggable technology - Range overview from 2.5 to 4 mm² - 12 to 10 AWG

Pluggable Pluggable


2

Connections
Single deck
Feed-through

4

Connections
Single deck
Feed-through
Ground

PI-Spring Pluggable



PI-Spring Pluggable

2

Connections
Single deck
Feed-through
Ground


3

Connections
Single deck
Feed-through

4

Connections
Single deck
Feed-through
Ground

Plugs



Compact plug

Save up to 15% in height

Jumper plugs


Plugs with 1 or 2 connection & jumper to ease potential distribution

Reduced plug variants


Only two plugs variants to create assemblies

Voltage test

Screwdriver entry point accepts category II probes



Screw clamp Pluggable



4

Connections

Single deck

Feed-through


2x2

Connections

Double deck

Feed-through

Ground



End section

No need of end section between 2.5 and 4 mm² terminal blocks

Cable clamp



Secure the wires onto the plug when pulling the plug assembly

Locking device



Secure plug and wiring against accidental pulling

Convenient coding pegs

Guarantee error free plugs insertion



15NKT164013S0201



SNK SERIES

Pluggable Technology

Connection capacity: from 2.5 to 4 mm² – 12 to 10 AWG

ENTRELEC Terminal Blocks

The SNK series pluggable terminal blocks combine the benefits of our smart connections with the flexibility of the pluggable function. Qualified for worldwide markets, applications and for severe environments (including hazardous locations, marine and solar applications etc.).



Speed up your projects

Smart connections, higher productivity

Up to 90% mounting time reduction with our PI-Spring, screw clamp and pluggable technologies.

Simplified selection and design

Intuitive codification, simplified catalogs, large technical data base.

Better project identification

20% larger marking area.
Pre-mark by hand or label before final marker installation.



Easy to install

Secured installation

Asymmetrical design avoid mounting and wiring errors.

Zero-retightening with our technologies.

Faster accessories mounting

Benefit from screwless ground connection, jumpers, end stops.

Smart design facilitating assembly process

Mounting, wiring, testing... made easy.



Optimized logistics

50% less accessories needed

End sections, circuit separators fit several blocks.

Common accessories

PI-Spring, screw and pluggable ranges share the same accessories.

Simplified inventory management

Significant reduction of part numbers to manage.



SNK series, terminal blocks

Pluggable technology

Terminal blocks

End sections Jumper bars

	Cross section mm ² / AWG	Spacing mm / in	Current IEC / UL	Function	Colour	Type	Part number	Part number	No. poles	Part number
<div style="display: flex; justify-content: space-between;"> <div> Pluggable Pluggable </div> <div> </div> </div>										
2 connections 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	22 A 20 A		Grey	ZD2.5-11	1SNK805016R0000	EDK2.5-11 1SNK805915R0000	2 3 5 10	1SNK905302R0000 1SNK905303R0000 1SNK905305R0000 1SNK905310R0000
4 connections 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	22 A 20 A 300 A 396 A		Grey	ZD2.5-22	1SNK805017R0000	ED2.5-22 1SNK805917R0000	2 3 5 10	1SNK905302R0000 1SNK905303R0000 1SNK905305R0000 1SNK905310R0000
					Green/ Yellow	ZD2.5-22-PE	1SNK805156R0000			
<div style="display: flex; justify-content: space-between;"> <div> PI-Spring Pluggable </div> <div> </div> </div>										
2 connections 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A 300 A 396 A		Grey Blue	ZDK2.5-11 ZDK2.5-11-BL	1SNK805015R0000 1SNK805025R0000	EDK2.5-11 1SNK805915R0000	2 3 5 10	1SNK905302R0000 1SNK905303R0000 1SNK905305R0000 1SNK905310R0000
					Green/ Yellow	ZDK2.5-11-PE	1SNK805150R0000			
3 connections 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Grey	ZDK2.5-21	1SNK805014R0000	EDK2.5-21 1SNK805914R0000	2 3 5 10	1SNK905302R0000 1SNK905303R0000 1SNK905305R0000 1SNK905310R0000
4 connections 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 22 A 300 A 396 A		Grey Blue	ZDK2.5-22 ZDK2.5-22-BL	1SNK805010R0000 1SNK805020R0000	EDK2.5-22 1SNK805910R0000	2 3 5 10	1SNK906302R0000 1SNK906303R0000 1SNK906305R0000 1SNK906310R0000
					Green/ Yellow	ZDK2.5-22-PE	1SNK805152R0000			
4 connections 	4 / - 4 / 2 6 / 10	6 / 0.236	30 A 30 A		Grey	ZDK4-22	1SNK806010R0000	EDK2.5-22 1SNK805910R0000	2 3 5 10	1SNK906302R0000 1SNK906303R0000 1SNK906305R0000 1SNK906310R0000
4 connections 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	22 A 20 A 300 A 396 A		Grey Blue	ZDK2.5-D2 ZDK2.5-D2-BL	1SNK805213R0000 1SNK805223R0000	EDK2.5-D 1SNK805913R0000	2 3 5 10	1SNK905302R0000 1SNK905303R0000 1SNK905305R0000 1SNK905310R0000
					Grey	ZDK2.5-D1	1SNK805214R0000			
					Grey, Green/ Yellow	ZDK2.5-D2-PE	1SNK805212R0000			
					Green/ Yellow	ZDK2.5-D1-PE	1SNK805250R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 22 A		Grey Blue	CDK2.5 CDK2.5-BL	1SNK805712R0000 1SNK805742R0000			
					Green/ Yellow	CDK2.5-PE	1SNK805750R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 22 A		Grey Blue	CDK2.5-E CDK2.5-BL-E	1SNK805713R0000 1SNK805743R0000			
					Green/ Yellow	CDK2.5-PE-E	1SNK805753R0000			

Terminal blocks

Terminal blocks								End sections	Jumper bars	
	Cross section mm ² / AWG	Spacing mm / in	Current IEC / UL	Function	Colour	Type	Part number	Part number	No. poles	Part number
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Grey <input type="checkbox"/>	CDK2.5-J	1SNK805738R0000		2	1SNK905302R0000
					Blue <input type="checkbox"/>	CDK2.5-J-BL	1SNK805744R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Green/ Yellow <input type="checkbox"/>	CDK2.5-J-PE	1SNK805748R0000		3	1SNK905303R0000
					Grey <input type="checkbox"/>	CDK2.5-J-E	1SNK805739R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Blue <input type="checkbox"/>	CDK2.5-J-BL-E	1SNK805745R0000		5	1SNK905305R0000
					Green/ Yellow <input type="checkbox"/>	CDK2.5-J-PE-E	1SNK805749R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Grey <input type="checkbox"/>	CDK2.5-2P-J	1SNK805740R0000		3	1SNK905302R0000
					Blue <input type="checkbox"/>	CDK2.5-2P-J-BL	1SNK805746R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Green/ Yellow <input type="checkbox"/>	CDK2.5-2P-J-PE	1SNK805751R0000		5	1SNK905305R0000
					Grey <input type="checkbox"/>	CDK2.5-2P-J-E	1SNK805741R0000			
Female Plug 	2.5 / - 2.5 / 14 4 / 12	5.2 / 0.205	24 A 20 A		Blue <input type="checkbox"/>	CDK2.5-2P-J-BL-E	1SNK805747R0000		10	1SNK905310R0000
					Green/ Yellow <input type="checkbox"/>	CDK2.5-2P-J-PE-E	1SNK805752R0000			
Female Plug 	4 / - 4 / 12 6 / 10	6 / 0.236	30 A 30 A		Grey <input type="checkbox"/>	CDK4	1SNK806712R0000			
						CDK4-E	1SNK806713R0000			




Screw clamp Pluggable

4 connections 	4 / - 2.5 / 12 4 / 10	5.2 / 0.205	29 A 28 A		Grey <input type="checkbox"/>	ZDS4-22	1SNK805013R0000	EDS4-22 1SNK805911R0000	2 3 5 10	1SNK905302R0000 1SNK905303R0000 1SNK905305R0000 1SNK905310R0000
4 connections 	4 / - 4 / 10 4 / 10	6 / 0.236	29 A 28 A		Grey <input type="checkbox"/>	ZDS4-22-R1	1SNK806013R0000		2 3 5 10	1SNK906302R0000 1SNK906303R0000 1SNK906305R0000 1SNK906310R0000
Female Plug 	4 / - 2.5 / 12 4 / 10	5.2 / 0.205	29 A 28 A		Grey <input type="checkbox"/>	CDS4	1SNK805714R0000			
Female Plug 	4 / - 4 / 10 4 / 10	6 / 0.236	29 A 28 A		Grey <input type="checkbox"/>	CDS4-R1	1SNK806714R0000			
Female Plug 	4 / - 4 / 10 4 / 10	5.2 / 0.205	29 A 28 A		Grey <input type="checkbox"/>	CDS4-E	1SNK805715R0000			

End stops

Pre-printed marking cards 	5.2 / 0.205	Screwless, for single deck	BAZ1	1SNK900002R0000
	10 / 0.394	Screw for single deck	BAM4	1SNK900001R0000
	10 / 0.394	Screw for double deck/power blocks	BAZH1	1SNK900102R0000
	4.8 / 0.189	Horizontal	1->10 (x10)	1SNK140011R0000
		Vertical	1->10 (x10)	1SNK140012R0000
	5.6 / 0.220	Horizontal	1->100	1SNK145011R0000
			1->100	1SNK145012R0000
		Vertical	1->100	1SNK150011R0000
			1->100	1SNK150012R0000

- Flexible without ferrule
- Flexible with insulated ferrule
- Rigid Solid




DBL power distribution blocks

Range overview


Single pole, solar, three poles, flat conductor and 2 in/2 out

Single pole


DBL80
7 connections




DBL125
8 connections





DBL160
8 connections



DBL175
12 connections



DBL250 and DBL400
12 connections



Easy block assembly
thanks to the interlocking piece




Easy jumpering
Increase the number of outputs by connecting two blocks together

Panel or DIN rail mounting

Pre-printed markers
(L1, L2, L3, N, PE, +, -) delivered with each block


Solar

DBL400-PV
14 connections




Three poles

**DBL125-3 and
DBL175-C-3**
8x3 connections





Flat conductor

**DBL250-F and
DBL500-F**
7 and 12 connections



2 in/2 out

DBL500-22
4 connections




**Combining
of 12 photovoltaic strings**
to collect solar energy up to
1500 V DC (IEC), 1000 V DC (UL)

**Flexible cover for
easy wiring:**

- Two directions opening
- Removable & snap-on

Flat conductor feed-in

**Main technical data
printed on the cover and
visible from top**



DBL POWER DISTRIBUTION BLOCKS

Screw clamp technology

1000 V AC / 1500 V DC (IEC) - 1000 V (UL), from 80 to 550 A

ENTRELEC Terminal Blocks

The exclusive compact and modular design of our power distribution blocks allows easy installation combined with a great flexibility of use.



Easy to install

3 configurations in 1 product:


Single pole splitter: split of power main input into several outputs.

Multiple poles splitter: interlocking function and ready to use marking kit (L1, L2, L3, N, PE, +, -) delivered with each block.

Grouping of several inputs into 1 output (solar application).

Flexible cover facilitates identification & wiring:

- Reversible, two directions opening, snap-on
- All wiring data's and specifications visible on top.



Space saving

Panel space saving:

Save up to 50 % rail space compare to conventional distribution bars thanks to our modular compact design.

1 500 V DC:

Voltage rating adapted to most recent solar inverters requirements.



Increased productivity

Reduced wiring, inventories, hardware and assembly costs:

- Reduce assembly time by 80 % compared to conventional systems.
- Our modular and touch proof concept eliminates the needs for bus bars, isolators, fasteners, protection screens...
- Accept **aluminum & copper** conductors.
- **1** product in stock for **3 possible** configurations.



DBL Power distribution blocks

Screw clamp technology

Single pole

DBL80
7 connections



DBL125
8 connections



DBL160
8 connections:



DBL175
12 connections:



DBL250 et DBL400
12 connections



Solar

DBL400-PV
14 connections:




Three poles

DBL125-3 et DBL175-C-3
8x3 connections




Flat conductor

DBL250-F et DBL500-F
7 et 12 connections



2 inputs / 2 outputs DBL500-22
4 connections



IEC	Max current		Connection capacity			Max cross section			Type	Part number	Pkg			
	UL / CSA	Cable diameter Ø	Flexible with insulated ferrule		Rigid Solid		Rigid Stranded							
			nb	mm	in	mm²	AWG	mm²				AWG	mm²	AWG
	Cu: 80 A Al: 63 A	Cu: 80 A	3	6.6	0.26	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 4	2.5 ... 16	14 ... 4	DBL80	1SNL308010R0000	1
	Cu: 125 A Al: 100 A	Cu: 115 A	1	9.8	0.386	10 ... 35	8 ... 2	10 ... 35	8 ... 2	10 ... 35	8 ... 2	DBL125	1SNL312510R0000	1
	Cu: 125 A Al: 100 A	Cu: 115 A	6	6.4	0.256	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 6	DBL125-3	1SNL312530R0000	1
	Cu: 160 A Al: 135 A	Cu: 160 A	3x1	9.8	0.386	10 ... 35	8 ... 2	10 ... 35	8 ... 2	10 ... 35	8 ... 2	DBL160	1SNL316010R0000	1
	Cu: 175 A Al: 135 A	Cu: 175 A	3x1	6.8	0.268	2.5 ... 16	14 ... 6	6 ... 16	10 ... 6	6 ... 16	10 ... 6	DBL175	1SNL317510R0000	1
	Cu: 175 A Al: 135 A	Cu: 175 A	6	6.4	0.256	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 6	DBL175-C-3	1SNL317531R0000	1
	Cu: 250 A Al: 200 A	Cu: 255 A	2	11.8	0.465	16 ... 50	6 ... 1/0	16 ... 70	6 ... 2/0	16 ... 70	6 ... 2/0	DBL250	1SNL325010R0000	1
	Flexible bars: 250 A Solid bars: 160 A	Flexible bars: 250 A Solid bars: 160 A	1	15.3	0.602	35 ... 95	2 ... 3/0	35 ... 120	2 ... 250 kcmil	35 ... 120	2 ... 250 kcmil	DBL250-F	1SNL325060R0000	1
	Cu: 400 A Al: 300 A	Cu: 335 A	2	8.7	0.343	2.5 ... 25	14 ... 4	2.5 ... 35	14 ... 2	2.5 ... 35	14 ... 2	DBL400	1SNL340010R0000	1
	Cu: 550 A	Cu: 400 A	5	6.4	0.256	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 6	2.5 ... 16	14 ... 6	DBL400-PV	1SNL340011R0000	1
	Cu: 500 A	Cu: 510 A	4	5.7	0.224	2.5 ... 10	14 ... 8	2.5 ... 10	14 ... 8	2.5 ... 10	14 ... 8	DBL500-22	1SNL850001R0000	1


Rated voltage 1000 V AC, 1500 V DC (IEC) / 1000 V AC/DC (UL/CSA).

Flexible without ferrule (IEC V-K & UL: class 5/6)	Flexible with insulated ferrule (IEC V-K & UL: class 5/6)	Rigid Solid (IEC V-U class 1, UL solid)	Rigid Stranded (IEC V-R class 2, UL class B/C)
--	---	---	--

Index

Additional technical data

Terminal block dimensions
(add rail height to obtain mounted dimensions)
e.g. TH 35-7.5 rail = product height +7.5 mm



Other products (not mounted on rail)

Part Number	Type	Description	Rated voltage	Rated voltage	Length	Height	Units per box	Units per carton
			(IEC)	(UL/CSA)				
			V	V	mm	mm		
1SNK140011R0000	MC512PA	Terminal Block Markers	-	-	12	5	1	600
1SNK140012R0000	MC512PA	Terminal Block Markers	-	-	12	5	1	600
1SNK145011R0000	MC512PA	Terminal Block Markers	-	-	12	5	1	600
1SNK145012R0000	MC512PA	Terminal Block Markers	-	-	12	5	1	600
1SNK150011R0000	MC612PA	Terminal Block Markers	-	-	12	5.6	1	600
1SNK150012R0000	MC612PA	Terminal Block Markers	-	-	12	5.6	1	600
1SNK155011R0000	MC612PA	Terminal Block Markers	-	-	12	5.6	1	600
1SNK155012R0000	MC612PA	Terminal Block Markers	-	-	12	5.6	1	600
1SNK505010R0000	ZS4	Screw Clamp Terminal Blocks	1000	600	53	47.3	50	900
1SNK505020R0000	ZS4-BL	Screw Clamp Terminal Blocks	1000	600	53	47.3	50	900
1SNK505150R0000	ZS4-PE	Screw Clamp Terminal Blocks	-	-	59.5	47.4	20	420
1SNK505210R0000	ZS4-D2	Screw Clamp Terminal Blocks	800	300	70.4	65.5	50	500
1SNK505212R0000	ZS4-T3	Screw Clamp Terminal Blocks	800	300	100.1	78.4	25	350
1SNK505220R0000	ZS4-D2-BL	Screw Clamp Terminal Blocks	800	300	70.4	65.5	50	500
1SNK505310R0000	ZS4-S	Screw Clamp Terminal Blocks	400	150	53	51.35	50	900
1SNK505311R0000	ZS4-S-T2	Screw Clamp Terminal Blocks	400	150	53	51.35	50	900
1SNK505910R0000	ES4	End Sections	-	-	50.9	-	20	4000
1SNK505910R0000	ES4	End Sections	-	-	50.9	-	20	4000
1SNK505960R0000	ES4-D2	End Sections	-	-	70.2	-	20	1500
1SNK505961R0000	ES4-T3	End Sections	-	-	97	-	20	3000
1SNK506010R0000	ZS6	Screw Clamp Terminal Blocks	1000	600	53	47.3	50	750
1SNK506020R0000	ZS6-BL	Screw Clamp Terminal Blocks	1000	600	53	47.3	50	750
1SNK506150R0000	ZS6-PE	Screw Clamp Terminal Blocks	-	-	59.5	47.4	20	360
1SNK506210R0000	ZS6-D2	Screw Clamp Terminal Blocks	800	300	70.4	65.5	50	400
1SNK506213R0000	ZS4-T3-R1	Screw Clamp Terminal Blocks	800	300	100.1	78.4	25	350
1SNK506220R0000	ZS6-D2-BL	Screw Clamp Terminal Blocks	800	300	70.4	65.5	50	400
1SNK506315R0000	ZS6-S	Screw Clamp Terminal Blocks	500	300	53	51.35	50	750
1SNK508010R0000	ZS10	Screw Clamp Terminal Blocks	1000	600	53	47.3	50	600
1SNK508020R0000	ZS10-BL	Screw Clamp Terminal Blocks	1000	600	53	47.3	50	600
1SNK508150R0000	ZS10-PE	Screw Clamp Terminal Blocks	-	-	59.5	47.3	20	240
1SNK508315R0000	ZS10-S	Screw Clamp Terminal Blocks	630	300	53	51.35	50	600
1SNK508410R0000	ZS4-SF1	Screw Clamp Terminal Blocks	630	300	59.7	45.6	50	450
1SNK508411R0000	ZS4-SF1-T2	Screw Clamp Terminal Blocks	630	300	59.7	45.6	50	450

Index

Additional technical data

Part Number	Type	Description	Rated voltage (IEC) V	Rated voltage (UL/CSA) V	Length mm	Height mm	Units per box	Units per carton
1SNK508960R0000	ES4-SF	End Sections	-	-	59	-	20	2000
1SNK510010R0000	ZS16	Screw Clamp Terminal Blocks	1000	600	56.1	48.8	25	450
1SNK510020R0000	ZS16-BL	Screw Clamp Terminal Blocks	1000	600	56.1	48.8	25	450
1SNK510150R0000	ZS16-PE	Screw Clamp Terminal Blocks	-	-	60.6	48.8	20	160
1SNK512010R0000	ZS25	Screw Clamp Terminal Blocks	1000	600	56.1	48.8	25	200
1SNK512020R0000	ZS25-BL	Screw Clamp Terminal Blocks	1000	600	56.1	48.8	25	200
1SNK512150R0000	ZS25-PE	Screw Clamp Terminal Blocks	-	-	63.6	48.9	20	300
1SNK516010R0000	ZS35	Screw Clamp Terminal Blocks	1000	600	59	54.3	20	80
1SNK516011R0000	ZS50	Screw Clamp Terminal Blocks	1000	1000	63.6	-	20	160
1SNK516020R0000	ZS35-BL	Screw Clamp Terminal Blocks	1000	600	59	54.3	20	80
1SNK516021R0000	ZS50-BL	Screw Clamp Terminal Blocks	1000	1000	63.6	-	20	160
1SNK516150R0000	ZS35-PE	Screw Clamp Terminal Blocks	-	-	59	58	20	80
1SNK516151R0000	ZS50-PE	Screw Clamp Terminal Blocks	-	-	63.6	-	20	80
1SNK522010R0000	ZS70	Screw Clamp Terminal Blocks	1000		74	75.35	10	30
1SNK522020R0000	ZS70-BL	Screw Clamp Terminal Blocks	1000		74	75.35	10	30
1SNK522150R0000	ZS70-PE	Screw Clamp Terminal Blocks	-	-	74	68.8	10	30
1SNK526010R0000	ZS95	Screw Clamp Terminal Blocks	1000	600	87	80.1	10	30
1SNK526020R0000	ZS95-BL	Screw Clamp Terminal Blocks	1000	600	87	80.1	10	30
1SNK526150R0000	ZS95-PE	Screw Clamp Terminal Blocks	-	-	87	85.2	10	30
1SNK705010R0000	ZK2.5	PI-Spring Terminal Blocks	1000	600	50.9	40.2	50	1200
1SNK705011R0000	ZK2.5-3P	PI-Spring Terminal Blocks	1000	600	64.7	40.2	50	750
1SNK705012R0000	ZK2.5-4P	PI-Spring Terminal Blocks	1000	600	80.2	40.2	50	800
1SNK705020R0000	ZK2.5-BL	PI-Spring Terminal Blocks	1000	600	50.9	40.2	50	1200
1SNK705021R0000	ZK2.5-3P-BL	PI-Spring Terminal Blocks	1000	600	64.7	40.2	50	750
1SNK705022R0000	ZK2.5-4P-BL	PI-Spring Terminal Blocks	1000	600	80.2	40.2	50	800
1SNK705150R0000	ZK2.5-PE	PI-Spring Terminal Blocks	-	-	57.4	40.3	20	720
1SNK705151R0000	ZK2.5-PE-3P	PI-Spring Terminal Blocks	-	-	71.2	40.3	20	640
1SNK705152R0000	ZK2.5-PE-4P	PI-Spring Terminal Blocks	-	-	86.7	40.3	20	640
1SNK705210R0000	ZK2.5-D2	PI-Spring Terminal Blocks	800	600	78.5	60.2	50	400
1SNK705211R0000	ZK2.5-D1	PI-Spring Terminal Blocks	800	600	78.5	60.2	50	400
1SNK705220R0000	ZK2.5-D2-BL	PI-Spring Terminal Blocks	800	600	78.5	60.2	50	400
1SNK705310R0000	ZK2.5-S	PI-Spring Terminal Blocks	630	300	65.3	44.2	50	750
1SNK705510R0000	ZK2.5-T3	PI-Spring Terminal Blocks	500	300	99.6	73.84	25	350
1SNK705511R0000	ZK2.5-T1	PI-Spring Terminal Blocks	500	300	99.6	73.84	25	350
1SNK705512R0000	ZK2.5-L-L-PE	PI-Spring Terminal Blocks	500	300	101.9	73.34	25	350
1SNK705513R0000	ZK2.5-L-N-PE	PI-Spring Terminal Blocks	500	300	101.9	73.34	25	350
1SNK705550R0000	ZK2.5-T1-PE	PI-Spring Terminal Blocks	-	-	101.9	73.34	25	350

Index

Additional technical data

Part Number	Type	Description	Rated voltage	Rated voltage	Length	Height	Units per box	Units per carton	
			(IEC)	(UL/CSA)					
			V	V	mm	mm			
1SNK705910R0000	EK2.5	End Sections	-	-	52.24	-	20	2900	
1SNK705911R0000	EK2.5-3P	End Sections	-	-	65.73	-	20	1800	
1SNK705911R0000	EK2.5-3P	End Sections	-	-	65.73	-	20	1800	
1SNK705912R0000	EK2.5-4P	End Sections	-	-	82.77	-	20	1800	
1SNK705960R0000	EK2.5-D2	End Sections	-	-	76.25	-	20	2500	
1SNK705961R0000	EK2.5-T3	End Sections	-	-	98.4	75.55	20	2500	
1SNK706010R0000	ZK4	PI-Spring Terminal Blocks	1000	600	55.3	41.1	50	600	
1SNK706011R0000	ZK4-3P	PI-Spring Terminal Blocks	1000	600	72.5	41.1	50	600	
1SNK706012R0000	ZK4-4P	PI-Spring Terminal Blocks	1000	600	89.7	41.1	50	600	
1SNK706020R0000	ZK4-BL	PI-Spring Terminal Blocks	1000	600	55.3	41.1	50	600	
1SNK706021R0000	ZK4-3P-BL	PI-Spring Terminal Blocks	1000	600	72.5	41.1	50	600	
1SNK706022R0000	ZK4-4P-BL	PI-Spring Terminal Blocks	1000	600	89.7	41.1	50	600	
1SNK706150R0000	ZK4-PE	PI-Spring Terminal Blocks	-	-	62.7	41.2	20	480	
1SNK706151R0000	ZK4-PE-3P	PI-Spring Terminal Blocks	-	-	79	41.2	20	480	
1SNK706152R0000	ZK4-PE-4P	PI-Spring Terminal Blocks	-	-	96.2	41.2	20	360	
1SNK706410R0000	ZK2.5-SF	PI-Spring Terminal Blocks	500	300	63.1	72.5	50	400	
1SNK706411R0000	ZK2.5-SF-R1	PI-Spring Terminal Blocks	500	300	63.1	72.5	50	400	
1SNK708010R0000	ZK6	PI-Spring Terminal Blocks	1000	600	57.5	41.9	50	450	
1SNK708011R0000	ZK6-3P	PI-Spring Terminal Blocks	1000	600	79.1	41.9	50	300	
1SNK708020R0000	ZK6-BL	PI-Spring Terminal Blocks	1000	600	57.5	41.9	50	450	
1SNK708021R0000	ZK6-3P-BL	PI-Spring Terminal Blocks	1000	600	79.1	41.9	50	300	
1SNK708150R0000	ZK6-PE	PI-Spring Terminal Blocks	-	-	64.6	42	20	480	
1SNK708151R0000	ZK6-PE-3P	PI-Spring Terminal Blocks	-	-	85.6	42	20	240	
1SNK708911R0000	EK6-3P	End Sections	-	-	78.28	-	20	1800	
1SNK710010R0000	ZK10	PI-Spring Terminal Blocks	1000	600	82.5	47.5	20	240	
1SNK710020R0000	ZK10-BL	PI-Spring Terminal Blocks	1000	600	82.5	47.5	20	240	
1SNK710150R0000	ZK10-PE	PI-Spring Terminal Blocks	-	-	87.7	47.6	20	240	
1SNK710910R0000	EK10	End Sections	-	-	80.47	-	20	1800	
1SNK712010R0000	ZK16	PI-Spring Terminal Blocks	1000	600	82.5	47.5	20	240	
1SNK712020R0000	ZK16-BL	PI-Spring Terminal Blocks	1000	600	82.5	47.5	20	240	
1SNK712150R0000	ZK16-PE	PI-Spring Terminal Blocks	-	-	89	47.6	20	240	
1SNK805010R0000	ZDK2.5-22	PI-Spring Pluggable Terminal Blocks	1000	600	89.3	89.3	50	500	
1SNK805013R0000	ZDS4-22	Screw clamp Pluggable Terminal Blocks	800	300	80.3	80.3	50	400	
1SNK805014R0000	ZDK2.5-21	PI-Spring Pluggable Terminal Blocks	1000	600	65.1	65.1	50	1100	
1SNK805015R0000	ZDK2.5-11	PI-Spring Pluggable Terminal Blocks	1000	600	49.6	49.6	50	1450	
1SNK805016R0000	ZD2.5-11	PI-Spring Pluggable Terminal Blocks	1000	600	54.4	54.4	50	1700	
1SNK805017R0000	ZD2.5-22	PI-Spring Pluggable Terminal Blocks	1000	600	101.9	101.9	50	900	

Index

Additional technical data

Part Number	Type	Description	Rated voltage (IEC) V	Rated voltage (UL/CSA) V	Length mm	Height mm	Units per box	Units per carton
1SNK805020R0000	ZDK2.5-22-BL	PI-Spring Pluggable Terminal Blocks	1000	600	89.3	89.3	50	500
1SNK805025R0000	ZDK2.5-11-BL	PI-Spring Pluggable Terminal Blocks	1000	600	49.6	49.6	50	1400
1SNK805150R0000	ZDK2.5-11-PE	PI-Spring Pluggable Terminal Blocks	-	-	56.1	56.1	50	950
1SNK805152R0000	ZDK2.5-22-PE	PI-Spring Pluggable Terminal Blocks	-	-	94.7	94.7	50	500
1SNK805156R0000	ZD2.5-22-PE	PI-Spring Pluggable Terminal Blocks	-	-	108.4	108.4	50	650
1SNK805212R0000	ZDK2.5-D2-PE	PI-Spring Pluggable Terminal Blocks	800	600	88.5	88.5	50	850
1SNK805213R0000	ZDK2.5-D2	PI-Spring Pluggable Terminal Blocks	800	600	81.5	81.5	50	900
1SNK805214R0000	ZDK2.5-D1	PI-Spring Pluggable Terminal Blocks	800	600	81.5	81.5	50	850
1SNK805223R0000	ZDK2.5-D2-BL	PI-Spring Pluggable Terminal Blocks	800	600	81.5	81.5	50	900
1SNK805250R0000	ZDK2.5-D1-PE	PI-Spring Pluggable Terminal Blocks	-	-	88.5	88.5	50	800
1SNK805712R0000	CDK2.5	PI-Spring Female Plugs	1000	600	19.1	18.5	50	1400
1SNK805713R0000	CDK2.5-E	PI-Spring Female Plugs	1000	600	19.1	18.5	50	1400
1SNK805714R0000	CDS4	Screw clamp Female Plugs	800	300	22.4	22.35	50	1400
1SNK805715R0000	CDS4-E	Screw clamp Female Plugs	800	300	22.4	22.35	50	1400
1SNK805738R0000	CDK2.5-J	PI-Spring Female Plugs	800	600	23.7	23.7	50	2200
1SNK805739R0000	CDK2.5-J-E	PI-Spring Female Plugs	800	600	23.7	23.7	50	2300
1SNK805740R0000	CDK2.5-2P-J	PI-Spring Female Plugs	500	600	35.5	35.5	50	1700
1SNK805741R0000	CDK2.5-2P-J-E	PI-Spring Female Plugs	500	600	35.5	35.5	50	1700
1SNK805742R0000	CDK2.5-BL	PI-Spring Female Plugs	1000	600	19.1	19.1	50	1400
1SNK805744R0000	CDK2.5-J-BL	PI-Spring Female Plugs	800	600	23.7	23.7	50	2200
1SNK805744R0000	CDK2.5-J-BL	PI-Spring Female Plugs	800	600	23.7	23.7	50	2200
1SNK805745R0000	CDK2.5-J-BL-E	PI-Spring Female Plugs	800	600	23.7	23.7	50	1000
1SNK805746R0000	CDK2.5-2P-J-BL	PI-Spring Female Plugs	500	600	35.5	35.5	50	1700
1SNK805747R0000	CDK2.5-2P-J-BL-E	PI-Spring Female Plugs	500	600	35.5	35.5	50	1000
1SNK805748R0000	CDK2.5-J-PE	PI-Spring Female Plugs	800	600	23.7	23.7	50	2200
1SNK805749R0000	CDK2.5-J-PE-E	PI-Spring Female Plugs	800	600	23.7	23.7	50	2300
1SNK805750R0000	CDK2.5-PE	PI-Spring Female Plugs	1000	600	19.1	19.1	50	1400
1SNK805751R0000	CDK2.5-2P-J-PE	PI-Spring Female Plugs	500	600	35.5	35.5	50	1700
1SNK805752R0000	CDK2.5-2P-J-PE-E	PI-Spring Female Plugs	500	600	35.5	35.5	50	1700
1SNK805753R0000	CDK2.5-PE-E	PI-Spring Female Plugs	1000	600	19.1	19.1	50	1400
1SNK805910R0000	EDK2.5-22	End Sections	-	-	88.8	-	20	2000
1SNK805911R0000	EDS4-22	End Sections	-	-	79.3	-	20	2000
1SNK805913R0000	EDK2.5-D	End Sections	-	-	80.3	80.3	20	2000
1SNK805914R0000	EDK2.5-21	End Sections	-	-	65.6	65.6	20	2000
1SNK805915R0000	EDK2.5-11	End Sections	-	-	49.05	49.05	20	3000
1SNK805915R0000	EDK2.5-11	End Sections	-	-	49.05	49.05	20	3000
1SNK805917R0000	ED2.5-22	End Sections	-	-	102.1	102.1	20	2000

Index

Additional technical data

Part Number	Type	Description	Rated voltage (IEC) V	Rated voltage (UL/CSA) V	Length mm	Height mm	Units per box	Units per carton
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905305R0000	JB5-5	Jumper Bars	1000	600	23.8	-	50	1500
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK905310R0000	JB5-10	Jumper Bars	1000	600	49.8	-	30	900
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906302R0000	JB6-2	Jumper Bars	1000	600	9	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500
1SNK906303R0000	JB6-3	Jumper Bars	1000	600	15	-	50	1500

1-1773976-4_EN_Index_TE



Index

Additional technical data


Part Number	Type	Description	Rated voltage	Rated voltage	Length	Height	Units per box	Units per carton	
			(IEC)	(UL/CSA)					
			V	V	mm	mm			
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906305R0000	JB6-5	Jumper Bars	1000	600	27	-	50	1500	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK906310R0000	JB6-10	Jumper Bars	1000	600	57	-	20	600	
1SNK908302R0000	JB8-2	Jumper Bars	1000	600	13.6	-	50	1500	
1SNK908302R0000	JB8-2	Jumper Bars	1000	600	13.6	-	50	1500	
1SNK908302R0000	JB8-2	Jumper Bars	1000	600	13.6	-	50	1500	
1SNK908303R0000	JB8-3	Jumper Bars	1000	600	21.6	-	50	1500	
1SNK908303R0000	JB8-3	Jumper Bars	1000	600	21.6	-	50	1500	
1SNK908303R0000	JB8-3	Jumper Bars	1000	600	21.6	-	50	1500	
1SNK908305R0000	JB8-5	Jumper Bars	1000	600	37.6	-	40	1200	
1SNK908305R0000	JB8-5	Jumper Bars	1000	600	37.6	-	40	1200	
1SNK908305R0000	JB8-5	Jumper Bars	1000	600	37.6	-	40	1200	
1SNK908310R0000	JB8-10	Jumper Bars	1000	600	77.6	-	20	600	
1SNK908310R0000	JB8-10	Jumper Bars	1000	600	77.6	-	20	600	
1SNK908310R0000	JB8-10	Jumper Bars	1000	600	77.6	-	20	600	
1SNK910302R0000	JB10-2	Jumper Bars	1000	600	18.5	-	50	1500	
1SNK910302R0000	JB10-2	Jumper Bars	1000	600	18.5	-	50	1500	
1SNK910303R0000	JB10-3	Jumper Bars	1000	600	28	-	50	1500	
1SNK910303R0000	JB10-3	Jumper Bars	1000	600	28	-	50	1500	
1SNK910305R0000	JB10-5	Jumper Bars	1000	600	48	-	30	900	
1SNK910305R0000	JB10-5	Jumper Bars	1000	600	48	-	30	900	
1SNK910310R0000	JB10-10	Jumper Bars	1000	600	98	-	20	600	

1-1773976-4_EN_Index_TE

Index

Additional technical data

Part Number	Type	Description	Rated voltage (IEC) V	Rated voltage (UL/CSA) V	Length mm	Height mm	Units per box	Units per carton
1SNK910310R0000	JB10-10	Jumper Bars	1000	600	98	-	20	600
1SNK912302R0000	JB12-2	Jumper Bars	1000	600	20	-	50	1500
1SNK912302R0000	JB12-2	Jumper Bars	1000	600	20	-	50	1500
1SNK912303R0000	JB12-3	Jumper Bars	1000	600	32	-	50	1500
1SNK912303R0000	JB12-3	Jumper Bars	1000	600	32	-	50	1500
1SNK912305R0000	JB12-5	Jumper Bars	1000	600	56	-	20	600
1SNK912305R0000	JB12-5	Jumper Bars	1000	600	56	-	20	600
1SNK916302R0000	JB16-2	Jumper Bars	1000	600	27.5	-	10	1000
1SNK916302R0000	JB16-2	Jumper Bars	1000	600	27.5	-	10	1000
1SNK916303R0000	JB16-3	Jumper Bars	1000	600	43.5	-	10	500
1SNK916303R0000	JB16-3	Jumper Bars	1000	600	43.5	-	10	500
1SNK916305R0000	JB16-5	Jumper Bars	1000	600	75.5	-	10	500
1SNK916305R0000	JB16-5	Jumper Bars	1000	600	75.5	-	10	500
1SNK916310R0000	JB16-10	Jumper Bars	1000	600	155.5	-	10	250
1SNK916310R0000	JB16-10	Jumper Bars	1000	600	155.5	-	10	250
1SNK922302R0000	JB22-2	Jumper Bars	1000	600	35	-	5	105
1SNK922303R0000	JB22-3	Jumper Bars	1000	600	57	-	5	105
1SNK922305R0000	JB22-5	Jumper Bars	1000	600	101	-	5	105
1SNK922310R0000	JB22-10	Jumper Bars	1000	600	211	-	5	45
1SNK926302R0000	JB26-2	Jumper Bars	1000	600	42	-	5	105
1SNK926303R0000	JB26-3	Jumper Bars	1000	600	68	-	5	105
1SNK926305R0000	JB26-5	Jumper Bars	1000	600	120	-	5	90
1SNK926310R0000	JB26-10	Jumper Bars	1000	600	250	-	5	45
1SNL308010R0000	DBL80	Power Distribution Blocks	-	1000	66	-	1	80
1SNL312510R0000	DBL125	Power Distribution Blocks	-	1000	75	-	1	75
1SNL312530R0000	DBL125-3	Power Distribution Blocks	-	1000	75	-	1	25
1SNL316010R0000	DBL160	Power Distribution Blocks	-	1000	75	-	1	75
1SNL317510R0000	DBL175	Power Distribution Blocks	-	1000	72.5	-	1	40
1SNL317531R0000	DBL175-C-3	Power Distribution Blocks	-	1000	75	-	1	25
1SNL325010R0000	DBL250	Power Distribution Blocks	-	1000	96	-	1	20
1SNL325060R0000	DBL250-F	Power Distribution Blocks	-	1000	75	-	1	20
1SNL340010R0000	DBL400	Power Distribution Blocks	-	1000	96	-	1	20
1SNL340011R0000	DBL400-PV	Power Distribution Blocks	-	1000	96	-	1	20
1SNL850001R0000	DBL500-22	Power Distribution Blocks	-	1000	96	-	1	20



LET'S CONNECT

We make it easy to connect with our experts and are ready to provide all the support you need. For additional information or product assistance, please contact your field representative or our customer service department. Additional information is also available on the website <http://www.te.com/entrelec>.

TECHNICAL SUPPORT

te.com/support-center

Asia:

+86 400-820-6015

Europe, Middle East, & Africa:

+49 6251-133-0

North America:

+1-888-441-9982

te.com

ENTRELEC, TE Connectivity, TE Connectivity (logo) and Every Connection Counts are trademarks. All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

All other logos, products and/or company names referred to herein might be trademarks of their respective owners.

The information given herein, including drawings, illustrations and schematics which are intended for illustration purposes only, is believed to be reliable. However, TE Connectivity makes no warranties as to its accuracy or completeness and disclaims any liability in connection with its use. TE Connectivity's obligations shall only be as set forth in TE Connectivity's Standard Terms and Conditions of Sale for this product and in no case will TE Connectivity be liable for any incidental, indirect or consequential damages arising out of the sale, resale, use or misuse of the product. Users of TE Connectivity products should make their own evaluation to determine the suitability of each such product for the specific application.

© 2019 TE Connectivity Ltd. family of companies All Rights Reserved.

1-1773976-4_EN

06/19

TE Connectivity

3, rue Jean Perrin
69687 Chassieu cedex
France

Tel: +33 472172222

www.te.com/